



2024/2025

THE INDUSTRY'S LARGEST CORDLESS LIGHTING POWER TOOL PROVIDER

TRUEVIEW™
HIGH DEFINITION LIGHTING



**REDLITHIUM™
USB**

M12™

M18™

**MX
FUEL™**



**NO CORD HAZARDS / NO SEARCHING FOR POWER SOURCE / NO EXTRA COSTS OF
RUNNING TEMPORARY INFRASTRUCTURE / NO LOCATION LIMITS / NO PETROL**

TRUEVIEW™

1 TRUEST COLOUR ACCURACY



- True representation of colours and details
- Neutral white light for greatest clarity and comfort
- Designed to represent sunlight at 10 am or 2 pm

2 BEST-IN-CLASS BEAM PATTERN OPTICS

- Even and consistent beam pattern from edge to edge
- Accurate and efficient work environment, no hot spots or washed-out borders
- Reflectors and diffusers optimised for each light

3 REDLITHIUM™ BATTERY TECHNOLOGY

- Portable solutions
- Long lasting reliability
- System compatibility



SCAN HERE
TO VIEW THE
FULL RANGE




L4 PPS-301
ART.# 4932493335

REDLITHIUM
USB

1 TRUEST COLOUR ACCURACY

COLOUR TEMPERATURE

The colour temperature is the colour appearance of the lamp itself and the light it produces. It is measured in Kelvin (K) on a scale from 1,000 to 10,000.



Higher colour temperature numbers in Kelvin (over 5,000 K) are cooler and show a bluish light. Lower colour temperature numbers (2,700-3,000 K) are warmer or more red colours. Neutral white colour improves productivity and safety, and it is less stressful on the eyes.

TRUEVIEW™ ADVANTAGE



TRUEVIEW™ products maintain a neutral white light that offers the greatest clarity and comfort to the end-user. Designed to represent sunlight at 10am or 2pm. MILWAUKEE® uses the highest quality LED's optimised for each individual light.

COLOUR RENDERING

Colour Rendering Index (CRI) is a rating on a scale of 1 to 100 of how accurately a lamp shows coloured objects. The higher the CRI, the closer the colours look to the sun.

This can be extremely important on the job site, specifically for the colour detection of wires.

High level of colour accuracy improves productivity and safety.

POOR			AVOID			OK		GOOD	
0 CRI	10 CRI	20 CRI	30 CRI	40 CRI	50 CRI	60 CRI	70 CRI	80 CRI	90 CRI
									100 CRI

**TRUEVIEW™ IS SETTING
THE STANDARD IN
COLOUR RENDERING**

MILWAUKEE®
COLOUR RENDERING
RATING



TRUEVIEW™ products offer the end-user the ability to see colours accurately.

MILWAUKEE® uses high quality LEDS' and an optimised phosphor coating covers most of the visible spectrum.

2 BEST-IN-CLASS BEAM PATTERN OPTICS

An even Beam Pattern is consistent from the centre to the edge of the beam.

An even beam pattern allows for an accurate and efficient work environment. Hot spots and washed-out borders result in the need for constant adjustment.

Optimised for each product, reduces eye strain, improves productivity and safety.

TRUEVIEW™ ADVANTAGE



TRUEVIEW™ products offer even and consistent beam pattern across all lights that reduces glare and shadows. MILWAUKEE® uses reflectors and diffusers optimised for each product that deliver a uniform pattern.

3 REDLITHIUM™ BATTERY TECHNOLOGY



**REDLITHIUM
FORGE™**



**REDLITHIUM
FORGE™**

For when the job
demands extra



If its M18™ it fits!



Works with all MILWAUKEE®
M12™ batteries



All day run time*



*Dependent on mode
selection and based on
10 hours work day

TRUEVIEW™

HIGH DEFINITION LIGHTING

**DELIVERS CONSISTENT BEAM,
OPTIMISED COLOUR TEMPERATURE
AND TRUE REPRESENTATION OF
COLOURS & DETAILS.**

**BUILT TO WITHSTAND THE TOUGHEST CONDITIONS
ON AND OFF THE JOBSITE.**

MILWAUKEE® lights combine the best cordless battery and LED technology delivering convenient, portable solutions that increase productivity and safety. TRUEVIEW™ high definition output delivers consistent beam, optimised colour temperature and true representation of colours & details.

ALL OUR MILWAUKEE® LIGHTS ARE DESIGNED TO:

ADAPT

Industrial portable lighting TRUEVIEW™ offers professionals the ability to bring light directly to their work as well as control the beam intensity and direction for greater productivity on the jobsite.

PORTABILITY



MAGNETIC ATTACHMENT



QUICK & EASY SET UP, ADJUSTABLE HEIGHT



ROTATING AND PIVOTING HEADS FOR MAXIMUM COVERAGE



PROTECTIVE BITE ZONE



PERFORM

Through the use of high quality LEDs, MILWAUKEE® designed optics and REDLITHIUM™ battery packs, TRUEVIEW™ industrial LED lights shine brighter and last longer.

MAX. 27,000 LUMEN OUTPUT



EXTENDED RUN TIME WITH 2 BATTERY PACKS



ALL-DAY RUN TIME*



* Dependent on mode selection and based on 10 hour work day

SURVIVE


Reinforced, impact resistant housing and lenses stand up to the challenges of industrial use.

Superior temperature management protects LEDs throughout their life.

IP67



IMPACT RESISTANT LENS



CHEMICAL RESISTANT LENS



LIGHTS AVAILABLE FOR ALL TRADES



PERSONAL LIGHTS

FLASH LIGHTS

FLOOD LIGHTS

TOWER LIGHTS

SITE LIGHTS

PERSONAL LIGHTING RANGE

Personal safety lights are designed to reduce risks in a workplace. They are ideal for indoor and outdoor use and can be used in variety of applications.

**100 METRE
BEAM ON ALL
MILWAUKEE®
HEADLAMPS**

L4 HL-VIS

360°

VISIBILITY

**PERSONAL ACTIVE
SAFETY DEVICE**



ZONE 0

ISHL-LED

**310
LUMENS**

**SPOT & FLOOD BEAM
WITH TRUEVIEW™ HIGH
DEFINITION OUTPUT**



**STAY SAFE.
STAY PRODUCTIVE.**

INDUSTRY'S 1ST LOW PROFILE VISOR/FACE SHIELD LIGHT

L4 BOLTHL

**600 LUMENS
OF FLOOD LIGHTING**

Flood area around work

**PIVOTING
LIGHT HEAD**

Direct light where needed

**LOW PROFILE
DESIGN**

½" depth for face shield use

**BOLT™
ADAPTER BRACKET**

Compatible with all BOLT™ accessories and hard hats/helmets

**REAR
BATTERY PACK**

Provides better balance

**FLEXIBLE WIRE
ROUTING DESIGN**

Allows for full functionality of all
BOLT™ accessories

**BOLT™
ACCESSORIES**

HIGH OUTPUT LIGHTING RANGE

PERSONAL LIGHTING RANGE



IP50
400
LUMENS



L4 NL400-301
4933479898

REDLITHIUM
USB

IP53
600
LUMENS



L4 HL-VIS-301
4933479768

REDLITHIUM
USB

IP66
2000
LUMENS



L4 FL2000-301
4933479637

REDLITHIUM
USB

IP54
500
LUMENS



L4 PWL-301
4933479765

REDLITHIUM
USB

IP52
550
LUMENS



L4 SL550-301
4933478869



REDLITHIUM
USB

IP54
600
LUMENS



L4 HLRP-301
4933479767

REDLITHIUM
USB

IP67
1100
LUMENS



L4 TMLED-301
4933479769

REDLITHIUM
USB

IP54
445
LUMENS



L4 FL-301
4933479763

REDLITHIUM
USB

IP54
350
LUMENS



L4 HSL-301
4933493968

REDLITHIUM
USB

IP54
600
LUMENS

*Bolt™ Helmet
not included



L4 BOLT™-301
4933479902

REDLITHIUM
USB

IP54
600
LUMENS



L4 HL2-301
4933479963

REDLITHIUM
USB

IP67
800
LUMENS



L4 FMLED-301
4933479770

REDLITHIUM
USB

IP54
550
LUMENS



L4 FFL-301
4933479766

REDLITHIUM
USB



RECHARGEABLE

IP54
500
LUMENS



IR FFL
4933493528

RECHARGEABLE

NEW



IP54
450
LUMENS



IR HL450
4933478587

RECHARGEABLE

IP67
500
LUMENS



IR FL500
4933478586

RECHARGEABLE

IP67
250
LUMENS



IR PL250
4933478705

RECHARGEABLE

ALKALINE



IP52
450
LUMENS



HL-SF
4933471388

3
AAA
INCLUDED

IP67
325
LUMENS



ML-LED
4933464825

3
AAA
INCLUDED

IP64
310
LUMENS



ZONE 0



ISHL-LED
4933478112

3
AAA
INCLUDED

IP52
350
LUMENS



HL2-LED
4933471286

3
AAA
INCLUDED

IP67
100
LUMENS



IPL-LED
4933459440

2
AAA
INCLUDED

IP54
300
LUMENS



FL-LED
4933464824

2
AAA
INCLUDED

**SCAN HERE TO VIEW OUR
LATEST PRODUCT VIDEOS**



FLASH LIGHTS

M18

M12

IP24
1250
LUMENS



Inc. VAT € 000,00
Excl. VAT € 000,00

M18 SLED-0
4933459159

M18

IP24
300
LUMENS



Inc. VAT € 000,00
Excl. VAT € 000,00

M18 IL-0
49332430564

M18

IP24
120
LUMENS



Inc. VAT € 000,00
Excl. VAT € 000,00

M18 TLED-0
49332430361

M18

IP24
750
LUMENS



Inc. VAT € 000,00
Excl. VAT € 000,00

M12 SLED-0
4933451261

M12

IP20
220
LUMENS



Inc. VAT € 000,00
Excl. VAT € 000,00

M12 SL-0
4932430178

M12

IP20
120
LUMENS



Inc. VAT € 000,00
Excl. VAT € 000,00

M12 TLED-0
4932430360

M12

FLOOD LIGHTS

IP20
1500
LUMENS



Inc. VAT € 000,00
Excl. VAT € 000,00

M18 AL-0
49332430392

M18

IP54
1000
LUMENS



Inc. VAT € 000,00
Excl. VAT € 000,00

M18 ALIS-0
4933498148

M18

IP24
700
LUMENS



Inc. VAT € 000,00
Excl. VAT € 000,00

M18 LL-0
49332430563

M18

IP54
1000
LUMENS



Inc. VAT € 000,00
Excl. VAT € 000,00

M12 AL-0
4933451394

M12

IP54
700
LUMENS



Inc. VAT € 000,00
Excl. VAT € 000,00

M12 PAL-0
4933478226

M12

IP24
400
LUMENS



Inc. VAT € 000,00
Excl. VAT € 000,00

M12 LL-0
49332430562

M12

IP20
4500
LUMENS



M18 MDTL
4933498149

M18

4000
LUMENS



M18 HOAL-0
4933478118

M18

IP54
3000
LUMENS



M18 POALC-0
4933478120

M18



IP54
1400
LUMENS



M12 POAL-0
4933480473

M12

TASK LIGHTS

IP54
2500
LUMENS



M18 ABL-0
4933498147

M18

IP20
2000
LUMENS



M18 PAL2-0
4933493547

M18



IP54
1350
LUMENS



M12 UHL-0
4933459432

M12

1200
LUMENS



M12 UCL-0
4933478868

M12

IP54
1000
LUMENS



M12 CML-401
4933479366

M12

SITE LIGHTS

IP54
9000
LUMENS



M18 ONESLDP-0
4933459160

M18

IP54
4400
LUMENS



M18 ONESLSP-0
4933459155

M18

2200
LUMENS



M18 TAL-0
4933464134

M18

IP56
15,000
LUMENS



MXF TLIC-601
4933498072



TOWER LIGHTS

IP34
6000
LUMENS



M18 HOSALC-0
4933478116

M18

IP67
5400
LUMENS



M18 ONERSAL-0
4933459431

M18

IP20
2800
LUMENS



M18 SAL2-0
4933492486

M18

IP55
27,000
LUMENS



MXF TL-601
4933471844



1400
LUMENS



M12 SAL-0
4933464823

M12

MX FUEL™ TOWER LIGHT

TRUEVIEW™
HIGH DEFINITION LIGHTING

ONE KEY™
UNLOCKING THE DIGITAL JOBSITE:

- NO EMISSIONS**
- NO MIXING PETROL AND OIL**
- NO ENGINE MAINTENANCE**

**3.1M
HEIGHT**

**UP TO
27,000
LUMENS**

**UP TO
10 HOURS
RUN TIME
ON A SINGLE CHARGE**

PROMOTIONS

ART.# 4933492103

ART.# 4933492103

HL2IPL-LED

CONTENTS:

- 1x IPL-LED, 1 x HL2-LED, 4 x hard hat clips, 3 x AAA batteries, 2 x AA batteries



ART.# 4933492104

IR HL450PL250

IR HLPL

CONTENTS:

- 1 x IRHL450, 1 x IRPL250, 4 x hard hat clips, 1 x USB charging cable



RECHARGEABLE

ART.# 4933492105

L4 FMHLLD-302 | ART.# 4933492105

L4 FMHLLD

CONTENTS:

- 1 x L4FMLED, 1 x L4HL, 2 x L4 B3, 4 hard hat clips, 1 x USB charging cable



REDLITHIUM™
USB

Techtronic Industries Middle East & Africa FZE
JAFZA Showroom, S3A1SR07, JAFZA South
P.O. Box: 61254
Email: meainfo@tti-emea.com

www.ae.milwaukeetool.eu
www.za.milwaukeetool.eu



XXXXXXXXXXXXXX